



ULTRACAB (INDIA) LIMITED
Survey No. 262, Behind Galaxy Bearings Ltd.
Shapar (Veraval)-360024, Dist.: Rajkot (GUJ) India
Phone : 02827-253122 / 23, Fax : 02827-252725
Email : info@ultracab.in Web: www.ultracab.in
Customer Care Number: 1800 313 0323

PCC LP NO. 06/2020-21 Dt. 25.11.2020

List Of Products Covered in PCC Price List	Page No.
Aluminium Armoured Cables	1
Aluminium Unarmoured Cables	2
Copper Armoured Cables	3
Copper Unarmoured Cables	4
Copper Armoured - Unarmoured Cables	5
Instrumentation Cables	6 - 9



ULTRACAB (INDIA) LIMITED
 Survey No. 262, Behind Galaxy Bearings Ltd.
 Shapur (Veraval) 360024, Dist.: Rajkot (GUJ) India
 Phone : 02827-253122 / 23, Fax : 02827-252725
 Email : info@ultracab.in Web: www.ultracab.in
 Customer Care Number: 1800 313 0323

REF NO. - UIL/PCC/LP-06/2020-21

DT. 25.11.2020

POWER CABLE (ALUMINIUM ARMoured CABLE)

ULTRACAB Make Power Cable Aluminium Conductor, XLPE Insulated, Cores Laid Up, Arm. Extruded PVC Type ST2 Sheathed, As Per IS 7098 (Part 1) 1988

Size in Sq.mm.	1 Core	2 Core	3 Core	3.5 Core	4 Core
	A2XW _a Y / A2XF _a Y	A2XW _Y / A2XF _Y	A2XW _Y / A2XF _Y	A2XF _Y	A2XW _Y / A2XF _Y
2.5		78	88		101
4		86	94		108
6		101	110		124
10		119	139		155
16	80	139	150		180
25	105	161	203	227	246
35	118	185	248	279	315
50	144	230	320	363	406
70	184	309	416	487	537
95	207	396	526	598	670
120	249	470	625	744	823
150	296	569	778	868	987
185	362	710	952	1096	1253
240	443	922	1201	1425	1572
300	540	1124	1455	1685	1978
400	679	1415	1920	2151	2418
500	929	1872	2508	2924	3281
630	1085	2356	3327	3972	4439
800	1494				
1000	1724				

EXTRA FOR SPECIAL CONSTRUCTION:

a) Round Wire Armouring	
- 2 x 16 & above	25%
- 3 x 16 & 3.5CX25 & above	25%
- 4 x 10 & above	25%
- For Single core 95 & above	25%
b) Stranding 10 sq.mm and below	10%
c) Extruded PVC Innersheath Up 50	5%
Extruded PVC Innersheath 70 & Above	2.5%
d) HR PVC Insulation	10%
e) HR PVC Inner Sheath	5%
f) HR PVC Outer Sheath	5%
g) Oxygen Index (FR)	2.5%
h) PVC Insulated Cables	8%

Cable Size (Sq.mm)	FRLS Loading Factor		LSZH	
	Inner Sheath	Outer Sheath	Inner Sheath	Outer Sheath
		Armoured		
	Power (Al.)			
Upto 16	10%	7.5%	15%	20%
25 - 50	7.5%	7.5%	12.5%	15%
70 & above	5%	5.0%	15%	12.5%
	Power Single Core (Al.)			
Upto 16	-N.A-	10%	-N.A-	25%
25 - 50	-N.A-	10%	-N.A-	20%
70 & above	-N.A-	7.5%	-N.A-	17.5%

1) Prices: The above rates are basic rates. GST will be charged extra as applicable and is subject to change as per Govt. rules.

2) As per international practice which is also adopted by BIS, The size of conductor is decided by its resistance only. The construction of the conductor mentioned in the price-list are only for guide-lines and are as per market convention. It may vary within the prescribed limit of IS 8130-1994 with related classes and tables.

3) Alteration: This Pricelist is subject to change without prior notice





ULTRACAB (INDIA) LIMITED
 Survey No. 262, Behind Galaxy Bearings Ltd.
 Shapar (Veraval)-360024, Dist.: Rajkot (GUJ) India
 Phone : 02827-253122 / 23, Fax : 02827-252725
 Email : info@ultracab.in Web: www.ultracab.in
 Customer Care Number: 1800 313 0323

REF NO. - UIL/PCC/LP-06/2020-21

DT. 25.11.2020

POWER CABLE (ALUMINIUM UNARMoured CABLE)

ULTRACAB Make Power Cable Aluminium Conductor, XLPE Insulated, Cores Laid Up, Unarm. Extruded PVC Type ST2 Sheathed, As Per IS 7098 (Part 1) 1988

Size in Sq.mm.	1 Core	2 Core	3 Core	3.5 Core	4 Core
	A2XY	A2XY	A2XY	A2XY	A2XY
4		50	60		71
6		62	74		86
10		85	101		119
16	44	89	119		145
25	69	127	176	213	227
35	79	163	225	254	282
50	104	199	279	332	365
70	137	275	385	457	508
95	186	342	485	550	618
120	221	414	592	706	730
150	269	497	731	849	924
185	331	620	896	1047	1148
240	376	823	1145	1292	1496
300	465	1006	1374	1607	1818
400	581	1286	1755	2045	2319
500	835	1563	2390	2764	3106
630	994	1990	3199	3741	4252
800	1395				
1000	1639				

EXTRA FOR SPECIAL CONSTRUCTION:

a) Stranding 10 sq.mm and below	10%
b) Extruded PVC Innersheath Up 50	5%
Extruded PVC Innersheath 70 & Above	2.5%
c) HR PVC Insulation	10%
d) HR PVC Inner Sheath	5%
e) HR PVC Outer Sheath	5%
f) Oxygen Index (FR)	2.5%
g) PVC Insulated Cables	8%

Cable Size (Sq.mm)	FRLS Loading Factor		LSZH	
	Inner Sheath	Outer Sheath	Inner Sheath	Outer Sheath
		Unarmd.		
		Power (Al.)		
Upto 16	10%	7.5%	15%	20%
25 - 50	7.5%	7.5%	12.5%	15%
70 & above	5%	5%	15%	12.5%
		Power Single Core (Al.)		
Upto 16	-N.A-	10%	-N.A-	25%
25 - 50	-N.A-	10%	-N.A-	20%
70 & above	-N.A-	7.5%	-N.A-	17.5%

1) Prices: The above rates are basic rates. GST will be charged extra as applicable and is subject to change as per Govt. rules.

2) As per international practice which is also adopted by BIS, The size of conductor is decided by its resistance only. The construction of the conductor mentioned in the price-list are only for guide-lines and are as per market convention. It may vary within the prescribed limit of IS 8130-1994 with related classes and tables.

3) Alteration: This Pricelist is subject to change without prior notice





ULTRACAB (INDIA) LIMITED
 Survey No. 262, Behind Galaxy Bearings Ltd.
 Shapur (Veraval)-360024, Dist.: Rajkot (GUJ) India
 Phone : 02827-253122 / 23, Fax : 02827-252725
 Email : info@ultracab.in Web: www.ultracab.in
 Customer Care Number: 1800 313 0323

REF NO. - UIL/PCC/LP-06/2020-21

DT. 25.11.2020

COPPER ARMoured CABLES

ULTRACAB Make Copper Conductor, XLPE Insulated, Cores Laid Up, Armoured, Extruded PVC St2 Sheathed, As Per IS:7098(Part-1) 1988

Cable Size in Sq.mm	1 Core	2 Core	3 Core	4 Core	5 Core	6 Core	7 Core
	2XWaY / 2XFaY	2XWY / 2XFY	2XWY / 2XFY	2XFY	2XWY / 2XFY	2XWY / 2XFY	2XWY / 2XFY
4		156	217	273	361	447	515
6		220	304	394	506	638	726
10		353	497	628	772		
16	325	510	695	906	1241		

Control Cables (Rate in Rs. Per Mtr.)

Number of Cores	2XWY/2XFY		Number of Cores	2XWY/2XFY	
	1.5 Sq.mm.	2.5 Sq.mm.		1.5 Sq.mm.	2.5 Sq.mm.
2	90	121	14	357	562
3	114	158	16	418	665
4	138	197	19	489	755
5	171	240	24	592	942
6	200	283	27	648	1032
7	218	312	30	742	1190
8	246	382	37	905	1454
10	285	414	44	1099	1796
12	321	490	61	1500	2448

EXTRA FOR SPECIAL CONSTRUCTION :

A) Tinning	3%
B) Stranding (Upto 6 SQ.MM)	4%
C) Extruded Innersheath	2.50%
D) Round Wire Armouring	
1C x 95 sq. mm & above	7.50%
1.5 sq.mm - 12 core & above	15%
2.5 sq.mm - 9 core & above	15%
10 sq.mm - 4 core & above	15%
16 sq.mm - 2 core & above	15%
16 sq.mm - 3 core & above	15%
E) OXYGEN INDEX (FR)	2.50%
F) HR PVC Insulatoin	7%
HR I/S & O/S	5% Each
G) FRLS Loading-Power Cable	7.50%
FRLS Loading-Power Cable	4%
H) PVC Insulated Cables	5%

FRLS Loading Factor			LSZH	
Cores	Inner Sheath	Outer Sheath	Inner Sheath	Outer Sheath
		Armoured		
2 to 4 Core	5%	6%	15%	15%
5 to 10	5%	4%	15%	15%
12 & Above	5%	4%	12.50%	12.50%

1) Prices: The above rates are basic rates. GST will be charged extra as applicable and is subject to change as per Govt. rules.

2) As per international practice which is also adopted by BIS, The size of conductor is decided by its resistance only. The construction of the conductor mentioned in the price-list are only for guide-lines and are as per market convention. It may vary within the prescribed limit of IS 8130-1994 with related classes and tables.

3) Alteration: This Pricelist is subject to change without prior notice





ULTRACAB (INDIA) LIMITED
 Survey No. 262, Behind Galaxy Bearings Ltd.
 Shapar (Veraval)-360024, Dist.: Rajkot (GUJ) India
 Phone : 02827-253122 / 23, Fax : 02827-252725
 Email : info@ultracab.in Web: www.ultracab.in
 Customer Care Number: 1800 313 0323

REF NO. - UIL/PCC/LP-06/2020-21

DT. 25.11.2020

COPPER UNARMOUR CABLES

ULTRACAB Make Copper Conductor, XLPE Insulated, Cores Laid Up, Unarmoured, Extruded PVC St2 Sheathed, As Per IS:7098(Part-1) 1988

Cable Size in Sq.mm	1 Core	2 Core	3 Core	4 Core	
	2XY	2XY	2XY	2XY	
4		133	196	250	
6		194	281	361	
10		341	481	597	
16	272	485	679	888	

Control Cables (Rate in Rs. Per Mtr.)

Number of Cores	2XY		Number of Cores	2XY	
	1.5 Sq.mm.	2.5 Sq.mm.		1.5 Sq.mm.	2.5 Sq.mm.
2	66	94	14	333	534
3	87	132	16	389	638
4	110	173	19	460	728
5	140	215	24	563	916
6	165	243	27	612	994
7	185	283	30	710	1104
8	216	348	37	858	1361
10	258	375	44	1013	1633
12	298	467	61	1429	2228

EXTRA FOR SPECIAL CONSTRUCTION :

A) Tinning	3%
B) Stranding (Upto 6 SQ.MM)	4%
C) Extruded Innersheath	2.5%
D OXYGEN INDEX (FR)	2.5%
E) HR PVC Insulation	7%
HR PVC I/S & O/S	5% Each
F) FRLS Loading-Power Cable (upto 6 Sq.mm.)	7.50%
FRLS Loading-Power Cable (10 Sq.mm. & above)	4%
G) PVC Insulated Cables	5%

FRLS Loading Factor			LSZH	
Cores	Inner Sheath	Outer Sheath	Inner Sheath	Outer Sheath
	Unarmd			
2 - 4	5%	6%	15%	15%
5 - 10	5%	4%	15%	15%
12 & Above	5%	4%	12.5%	12.5%

1) Prices: The above rates are basic rates. GST will be charged extra as applicable and is subject to change as per Govt. rules.

2) As per international practice which is also adopted by BIS, The size of conductor is decided by its resistance only. The construction of the conductor mentioned in the price-list are only for guide-lines and are as per market convention. It may vary within the prescribed limit of IS 8130-1994 with related classes and tables.

3) Alteration: This Pricelist is subject to change without prior notice




ULTRACAB (INDIA) LIMITED

 Survey No. 262, Behind Galaxy Bearings Ltd.
 Shapur (Veraval)-360024, Dist.: Rajkot (GUJ) India
 Phone : 02827-253122 / 23, Fax : 02827-252725
 Email : info@ultracab.in Web: www.ultracab.in
 Customer Care Number: 1800 313 0323

REF NO. - UIL/PCC/LP-06/2020-21

DT. 25.11.2020

COPPER ARMoured CABLES

ULTRACAB Make Copper Conductor, XLPE Insulated, Cores Laid Up, Armoured, Extruded PVC St2 Sheathed, As Per IS:7098(Part-1) 1988

(Rate in Rs. Per Mtr.)

Cable Size in Sq.mm	1 Core	2 Core	3 Core	3.5 Core	4 Core	5 Core
	2XWaY / 2XFaY	2XWY / 2XFY	2XWY / 2XFY	2XFY	2XWY / 2XFY	2XWY / 2XFY
25	480	756	1117	1329	1455	1952
35	645	1146	1584	1803	2084	2807
50	886	1547	2161	2522	2863	3851
70	1233	2157	3120	3638	4224	
95	1590	2880	4132	4766	5538	
120	1992	3537	5152	6170	6897	
150	2486	4425	6437	7843	8474	
185	3016	5432	8173	9526	10778	
240	3889	7077	10516	12150	13727	
300	4920	8977	13154	15098	17658	
400	6574	12163	17669	20380	23155	
500	8071					
630	10146					
800	12843					
1000	16144					

COPPER UNARMOUR CABLES

ULTRACAB Make Copper Conductor, XLPE Insulated, Cores Laid Up, Unarmoured, Extruded PVC St2 Sheathed, As Per IS:7098(Part-1) 1988

(Rate in Rs. Per Mtr.)

Cable Size in Sq.mm	1 Core	2 Core	3 Core	3.5 Core	4 Core
	2XY	2XY	2XY	2XY	2XY
25	418	704	1055	1225	1342
35	567	1089	1481	1700	1977
50	793	1488	2033	2415	2677
70	1111	1994	2961	3500	4042
95	1518	2718	4046	4742	5350
120	1917	3424	4817	6071	6594
150	2403	4281	6161	7566	8299
185	2952	5238	7700	9003	10721
240	3846	6782	10113	11742	13593
300	4845	8463	12447	14346	16805
400	6345	11251	16226	18734	21687
500	8017				
630	10092				
800	12785				
1000	15982				

EXTRA FOR SPECIAL CONSTRUCTION (CONTROL CABLES) :

A) Tinning	3%
B) Stranding (Upto 6 SQ.MM)	4%
C) Extruded Innersheath	2.50%
D) Round Wire Armouring	
1C x 95 sq. mm & above	7.50%
10 sq.mm - 4 core & above	15%
16 sq.mm - 2 core & above	15%
16 sq.mm - 3 core & above	15%
E) OXYGEN INDEX (FR)	2.50%
F) HR PVC Insulatoin	7%
HR I/S & O/S	5% Each
G) FRLS Loading-Power Cable (10 Sq.mm. & above)	4%
H) PVC Insulated Cables	5%

1) Prices: The above rates are basic rates. GST will be charged extra as applicable and is subject to change as per Govt. rules.

2) As per international practice which is also adopted by BIS, The size of conductor is decided by its resistance only. The construction of the conductor mentioned in the price-list are only for guide-lines and are as per market convention. It may vary within the prescribed limit of IS 8130-1994 with related classes and tables.

3) Alteration: This Pricelist is subject to change without prior notice



E 352485

E 352485

CML - 3561770

CML - 7995423

CML - 3561489



ULTRACAB (INDIA) LIMITED
 Survey No. 262, Behind Galaxy Bearings Ltd.
 Shapar (Veraval)-360024, Dist.: Rajkot (GUJ) India
 Phone : 02827-253122 / 23, Fax : 02827-252725
 Email : info@ultracab.in Web: www.ultracab.in
 Customer Care Number: 1800 313 0323

REF NO-UIL/LDC/LP-06/2020-21

DATE: 25.11.2020

ULTRACAB INSTRUMENTATION CABLES

Str/Solid Cu PVC/XLPE Insulated Core/Pair/Triad/Quad laid up together with Al Inner sheathed GI Steel
 Wire/Mylar/Mylar/Drain Wire Round-Strip Armoured PVC Outer Sheathed Instrumentation

OVERALL SHIELDED - ARMOURED INSTRUMENTATION CABLES

Type	No.	Size	Rate / mtr	Size	Rate / mtr	Size	Rate / mtr	Size	Rate / mtr	Size	Rate / mtr
CORE	2	0.5	84	0.75	96	1.00	105	1.50	126	2.50	168
CORE	3	0.5	96	0.75	110	1.00	127	1.50	158	2.50	214
CORE	4	0.5	109	0.75	130	1.00	151	1.50	191	2.50	265
CORE	5	0.5	123	0.75	147	1.00	175	1.50	223	2.50	314
CORE	6	0.5	139	0.75	166	1.00	200	1.50	256	2.50	368
CORE	7	0.5	146	0.75	181	1.00	216	1.50	280	2.50	406
CORE	8	0.5	164	0.75	202	1.00	243	1.50	317	2.50	459
CORE	10	0.5	193	0.75	239	1.00	293	1.50	382	2.50	561
CORE	12	0.5	213	0.75	269	1.00	332	1.50	439	2.50	631
CORE	14	0.5	237	0.75	302	1.00	372	1.50	499	2.50	729
CORE	16	0.5	260	0.75	336	1.00	418	1.50	561	2.50	818
CORE	19	0.5	295	0.75	382	1.00	478	1.50	645	2.50	953
CORE	24	0.5	357	0.75	468	1.00	570	1.50	784	2.50	1188
PAIR	1	0.50	84	0.75	96	1.00	105	1.50	126	2.50	168
PAIR	2	0.50	122	0.75	144	1.00	162	1.50	203	2.50	290
PAIR	3	0.50	144	0.75	177	1.00	204	1.50	262	2.50	381
PAIR	4	0.50	168	0.75	212	1.00	250	1.50	326	2.50	479
PAIR	5	0.50	197	0.75	249	1.00	296	1.50	390	2.50	571
PAIR	6	0.50	225	0.75	288	1.00	342	1.50	453	2.50	670
PAIR	7	0.50	243	0.75	314	1.00	379	1.50	506	2.50	756
PAIR	8	0.50	275	0.75	356	1.00	431	1.50	569	2.50	856
PAIR	10	0.50	328	0.75	417	1.00	511	1.50	688	2.50	1053
PAIR	12	0.50	368	0.75	483	1.00	595	1.50	806	2.50	1234
PAIR	14	0.50	397	0.75	542	1.00	673	1.50	922	2.50	1419
PAIR	16	0.50	450	0.75	609	1.00	757	1.50	1033	2.50	1609
PAIR	19	0.50	510	0.75	705	1.00	879	1.50	1206	2.50	1882
PAIR	24	0.50	637	0.75	880	1.00	1089	1.50	1513	2.50	2365
TRIAD	1	0.50	99	0.75	115	1.00	128	1.50	160	2.50	219
TRIAD	2	0.50	154	0.75	190	1.00	212	1.50	274	2.50	395
TRIAD	3	0.50	190	0.75	240	1.00	276	1.50	361	2.50	535
TRIAD	4	0.50	228	0.75	295	1.00	343	1.50	453	2.50	673
TRIAD	5	0.50	263	0.75	350	1.00	408	1.50	548	2.50	817
TRIAD	6	0.50	304	0.75	405	1.00	477	1.50	634	2.50	961
TRIAD	7	0.50	335	0.75	448	1.00	534	1.50	714	2.50	1093
TRIAD	8	0.50	377	0.75	494	1.00	598	1.50	811	2.50	1248
TRIAD	10	0.50	447	0.75	611	1.00	725	1.50	998	2.50	1538
TRIAD	12	0.50	509	0.75	703	1.00	848	1.50	1165	2.50	1821
TRIAD	14	0.50	579	0.75	803	1.00	973	1.50	1339	2.50	2097
TRIAD	16	0.50	641	0.75	895	1.00	1091	1.50	1515	2.50	2378
TRIAD	19	0.50	742	0.75	1039	1.00	1271	1.50	1772	2.50	2788
TRIAD	24	0.50	918	0.75	1300	1.00	1590	1.50	2231	2.50	3509
QUAD	1	0.50	111	0.75	133	1.00	153	1.50	193	2.50	270

Notes:-

1) Prices:- The above rates are basic rate. GST will be charged extra as applicable and is subject to change as per Govt. rules

2) As per international practice which is also adopted by Bureau of Indian Standards, the diameter of the conductor shown above is nominal. The size of the conductor is determined by its resistance. The construction of the conductor is as per market convention and should be treated as a guideline only. It may vary within the limits of IS :8130:1994 With its related clauses and tables.

3) Alteration : This Pricelist is subjected to change Without prior notice.



**ULTRACAB (INDIA) LIMITED**

Survey No. 262, Behind Galaxy Bearings Ltd.
Shapar (Veraval)-360024, Dist.: Rajkot (GUJ) India
Phone : 02827-253122 / 23, Fax : 02827-252725
Email : info@ultracab.in Web: www.ultracab.in
Customer Care Number: 1800 313 0323

REF NO-UIL/LDC/LP-06/2020-21

DATE: 25.11.2020

ULTRACAB INSTRUMENTATION CABLES

Str/Solid Cu PVC/XLPE Insulated Pair/Triad/Quad laid up together with Al Inner sheathed

OVERALL SHIELDED - UNARMoured INSTRUMENTATION CABLES

Type	No.	Size	Rate / mtr	Size	Rate / mtr	Size	Rate / mtr	Size	Rate / mtr	Size	Rate / mtr
PAIR	1	0.50	48	0.75	58	1.00	68	1.50	82	2.50	113
PAIR	2	0.50	76	0.75	94	1.00	113	1.50	160	2.50	217
PAIR	3	0.50	99	0.75	126	1.00	160	1.50	206	2.50	309
PAIR	4	0.50	113	0.75	160	1.00	206	1.50	263	2.50	401
PAIR	5	0.50	149	0.75	196	1.00	288	1.50	319	2.50	495
PAIR	6	0.50	171	0.75	217	1.00	309	1.50	390	2.50	583
PAIR	7	0.50	184	0.75	251	1.00	319	1.50	434	2.50	675
PAIR	8	0.50	206	0.75	276	1.00	378	1.50	495	2.50	769
PAIR	10	0.50	251	0.75	356	1.00	458	1.50	619	2.50	961
PAIR	12	0.50	300	0.75	410	1.00	540	1.50	733	2.50	1132
PAIR	14	0.50	332	0.75	471	1.00	619	1.50	836	2.50	1304
PAIR	16	0.50	390	0.75	525	1.00	710	1.50	961	2.50	1488
PAIR	19	0.50	447	0.75	629	1.00	824	1.50	1122	2.50	1751
PAIR	24	0.50	550	0.75	778	1.00	1029	1.50	1410	2.50	2219

TRIAD	1	0.50	64	0.75	71	1.00	91	1.50	111	2.50	164
TRIAD	2	0.50	105	0.75	129	1.00	161	1.50	207	2.50	308
TRIAD	3	0.50	141	0.75	172	1.00	219	1.50	288	2.50	435
TRIAD	4	0.50	174	0.75	216	1.00	280	1.50	369	2.50	569
TRIAD	5	0.50	209	0.75	261	1.00	342	1.50	453	2.50	707
TRIAD	6	0.50	244	0.75	309	1.00	403	1.50	540	2.50	837
TRIAD	7	0.50	276	0.75	350	1.00	459	1.50	617	2.50	962
TRIAD	8	0.50	313	0.75	400	1.00	523	1.50	710	2.50	1097
TRIAD	10	0.50	384	0.75	493	1.00	655	1.50	879	2.50	1364
TRIAD	12	0.50	447	0.75	583	1.00	770	1.50	1038	2.50	1619
TRIAD	14	0.50	511	0.75	671	1.00	887	1.50	1199	2.50	1874
TRIAD	16	0.50	584	0.75	760	1.00	1007	1.50	1364	2.50	2141
TRIAD	19	0.50	682	0.75	888	1.00	1181	1.50	1602	2.50	2525
TRIAD	24	0.50	852	0.75	1115	1.00	1482	1.50	2029	2.50	3180

QUAD	1	0.50	68	0.75	86	1	109	1.50	149	2.5	217
------	---	------	----	------	----	---	-----	------	-----	-----	-----

Notes:-

- Prices:- The above rates are basic rate. GST will be charged extra as applicable and is subject to change as per Govt. rules
- As per international practice which is also adopted by Bureau of Indian Standards, the diameter of the conductor shown above is nominal. The size of the conductor is determined by its resistance. The construction of the conductor is as per market convention and should be treated as a guideline only. It may vary within the limits of IS :8130:1994 With its related clauses and tables.
- Alteration : This Pricelist is subjected to change Without prior notice.





ULTRACAB (INDIA) LIMITED
 Survey No. 262, Behind Galaxy Bearings Ltd.
 Shapar (Veraval)-360024, Dist.: Rajkot (GUJ) India
 Phone : 02827-253122 / 23, Fax : 02827-252725
 Email : info@ultracab.in Web: www.ultracab.in
 Customer Care Number: 1800 313 0323

REF NO-UIL/LDC/LP-06/2020-21

DATE: 25.11.2020

ULTRACAB INSTRUMENTATION CABLES

Str/Solid Cu PVC/XLPE Insulated Pair/Triad laid up together with Al Mylar/Mylar/Drain Wire Inner sheathed GI Steel Wire Round-Strip Armoured PVC Outer Sheathed Instrumentation Cables

INDIVIDUAL & OVERALL SHIELDED - ARMOURED INSTRUMENTATION CABLES

Type	No.	Size	Rate / mtr	Size	Rate / mtr	Size	Rate / mtr	Size	Rate / mtr	Size	Rate / mtr
PAIR	2	0.50	160	0.75	175	1.00	200	1.50	244	2.50	335
PAIR	3	0.50	197	0.75	219	1.00	256	1.50	316	2.50	444
PAIR	4	0.50	235	0.75	268	1.00	313	1.50	395	2.50	549
PAIR	5	0.50	275	0.75	315	1.00	374	1.50	459	2.50	663
PAIR	6	0.50	314	0.75	367	1.00	434	1.50	543	2.50	777
PAIR	7	0.50	346	0.75	405	1.00	483	1.50	610	2.50	879
PAIR	8	0.50	393	0.75	447	1.00	540	1.50	691	2.50	1003
PAIR	10	0.50	465	0.75	546	1.00	658	1.50	846	2.50	1230
PAIR	12	0.50	528	0.75	627	1.00	760	1.50	988	2.50	1450
PAIR	14	0.50	601	0.75	714	1.00	870	1.50	1126	2.50	1665
PAIR	16	0.50	675	0.75	805	1.00	979	1.50	1270	2.50	1885
PAIR	19	0.50	771	0.75	924	1.00	1131	1.50	1483	2.50	2202
PAIR	24	0.50	961	0.75	1162	1.00	1420	1.50	1871	2.50	2770
TRIAD	2	0.50	188	0.75	217	1.00	245	1.50	306	2.50	421
TRIAD	3	0.50	235	0.75	278	1.00	320	1.50	407	2.50	576
TRIAD	4	0.50	286	0.75	344	1.00	398	1.50	499	2.50	732
TRIAD	5	0.50	336	0.75	408	1.00	478	1.50	609	2.50	898
TRIAD	6	0.50	389	0.75	465	1.00	548	1.50	713	2.50	1055
TRIAD	7	0.50	430	0.75	518	1.00	616	1.50	808	2.50	1198
TRIAD	8	0.50	480	0.75	595	1.00	698	1.50	922	2.50	1367
TRIAD	10	0.50	577	0.75	719	1.00	856	1.50	1131	2.50	1699
TRIAD	12	0.50	669	0.75	836	1.00	1000	1.50	1321	2.50	1991
TRIAD	14	0.50	754	0.75	950	1.00	1148	1.50	1525	2.50	2293
TRIAD	16	0.50	846	0.75	1071	1.00	1287	1.50	1725	2.50	2603
TRIAD	19	0.50	981	0.75	1245	1.00	1511	1.50	2028	2.50	3050
TRIAD	24	0.50	1230	0.75	1566	1.00	1906	1.50	2534	2.50	3860

Notes:-

1) Prices:- The above rates are basic rate. GST will be charged extra as applicable and is subject to change as per Govt. rules

2) As per international practice which is also adopted by Bureau of Indian Standards, the diameter of the conductor shown above is nominal. The size of the conductor is determined by its resistance. The construction of the conductor is as per market convention and should be treated as a guideline only. It may vary within the limits of IS :8130:1994 With its related clauses and tables.

3) Alteration : This Pricelist is subjected to change Without prior notice.



**ULTRACAB (INDIA) LIMITED**

Survey No. 262, Behind Galaxy Bearings Ltd.
Shapur (Veraval)-360024, Dist.: Rajkot (GUJ) India
Phone : 02827-253122 / 23, Fax : 02827-252725
Email : info@ultracab.in Web: www.ultracab.in
Customer Care Number: 1800 313 0323

REF NO-UIL/LDC/LP-06/2020-21

DATE: 25.11.2020

ULTRACAB INSTRUMENTATION CABLES

Str/Solid Cu PVC/XLPE Insulated Pair/Triad laid up together with Al Mylar/Mylar/Drain
Wire Inner sheathed Unarmoured PVC Outer Sheathed Instrumentation Cable.

INDIVIDUAL & OVERALL SHIELDED - UNARMOURED INSTRUMENTATION CABLES

Type	No.	Size	Rate / mtr	Size	Rate / mtr	Size	Rate / mtr	Size	Rate / mtr	Size	Rate / mtr
PAIR	2	0.5	99	0.75	113	1.00	140	1.50	171	2.50	241
PAIR	3	0.5	126	0.75	160	1.00	196	1.50	241	2.50	345
PAIR	4	0.5	160	0.75	196	1.00	241	1.50	309	2.50	447
PAIR	5	0.5	196	0.75	241	1.00	300	1.50	378	2.50	550
PAIR	6	0.5	230	0.75	288	1.00	356	1.50	447	2.50	655
PAIR	7	0.5	263	0.75	319	1.00	401	1.50	504	2.50	745
PAIR	8	0.5	300	0.75	366	1.00	458	1.50	583	2.50	859
PAIR	10	0.5	366	0.75	458	1.00	573	1.50	722	2.50	1053
PAIR	12	0.5	426	0.75	540	1.00	664	1.50	845	2.50	1259
PAIR	14	0.5	504	0.75	619	1.00	778	1.50	983	2.50	1454
PAIR	16	0.5	562	0.75	699	1.00	871	1.50	1122	2.50	1659
PAIR	19	0.5	655	0.75	824	1.00	1029	1.50	1316	2.50	1959
PAIR	24	0.5	824	0.75	1029	1.00	1295	1.50	1659	2.50	2461
TRIAD	2	0.5	136	0.75	153	1.00	186	1.50	235	2.50	338
TRIAD	3	0.5	181	0.75	209	1.00	257	1.50	327	2.50	479
TRIAD	4	0.5	228	0.75	268	1.00	332	1.50	424	2.50	629
TRIAD	5	0.5	276	0.75	324	1.00	403	1.50	517	2.50	773
TRIAD	6	0.5	320	0.75	382	1.00	478	1.50	621	2.50	918
TRIAD	7	0.5	364	0.75	434	1.00	546	1.50	710	2.50	1055
TRIAD	8	0.5	413	0.75	502	1.00	629	1.50	810	2.50	1204
TRIAD	10	0.5	517	0.75	618	1.00	775	1.50	1003	2.50	1505
TRIAD	12	0.5	606	0.75	726	1.00	915	1.50	1183	2.50	1786
TRIAD	14	0.5	696	0.75	836	1.00	1055	1.50	1369	2.50	2067
TRIAD	16	0.5	784	0.75	948	1.00	1197	1.50	1555	2.50	2350
TRIAD	19	0.5	918	0.75	1111	1.00	1407	1.50	1841	2.50	2750
TRIAD	24	0.5	1150	0.75	1404	1.00	1779	1.50	2315	2.50	3485

Notes:-

1) Prices:- The above rates are basic rate. GST will be charged extra as applicable and is subject to change as per Govt. rules

2) As per international practice which is also adopted by Bureau of Indian Standards, the diameter of the conductor shown above is nominal. The size of the conductor is determined by its resistance. The construction of the conductor is as per market convention and should be treated as a guideline only. It may vary within the limits of IS :8130:1994 With its related clauses and tables.

3) Alteration : This Pricelist is subjected to change Without prior notice.

